

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) An item of jewelry, said jewelry item comprising,

a ring with shank, said shank defining a disk opening; and

a cylindrical message disk, mounted within said disk opening, wherein said cylindrical message disk is rotatable, transversely to said shank, within said disk opening, so as to display an inscription thereon.
2. (currently amended) The jewelry item as claimed in claim 1, wherein said cylindrical message disk maintains a plurality of inscriptions thereon, said cylindrical message disk rotatable within said disk opening so as to display a desired inscription among a plurality of inscriptions.
3. (original) The jewelry item as claimed in claim 1, wherein said inscription is a textual message.
4. (original) The jewelry item as claimed in claim 1, wherein said inscription is decorative design.

5 - 6. (withdrawn)

7. (currently amended) The jewelry item as claimed in claim 1, wherein said[,] cylindrical message disk is supported in said disk opening by a fixing device.

8. (currently amended) The jewelry item as claimed in claim 7, wherein said jewelry further comprises a second cylindrical message disk, said message disk, wherein said message disks are interchangeable with one another.

9. (original) The jewelry item as claimed in claim 7, wherein said fixing device is any one of a sprow, solid pin, and screw.

10. (currently amended) An item of jewelry, said jewelry item comprising,
a ring with shank,
a setting for an jewelry stone; and
a cylindrical message disk, mounted between said shank and said setting,
wherein said cylindrical message disk is rotatable, transversely to said shank, so as to display an inscription thereon.

11. (currently amended) An item of jewelry, said jewelry item

Application No. 10/662,048
Amendment Dated March 10, 2005
Reply to the Office Action dated September 10, 2004

comprising,

a jewelry component, said jewelry component defining a disk opening;

and

a cylindrical message disk, mounted within said disk opening, wherein
said cylindrical message disk is rotatable, within said disk opening, so as to display an
inscription thereon.

12 - 16. (withdrawn)